



At Stahl-Becker you can order tinplates in production batches as well as single plates. High quality in every quantity.

Material	Material Number	DIN Material Code
TS275	1.0375	T57

All statements without guarantee

**Stahl-Becker GmbH**  
Ottostraße 9-11  
63150 Heusenstamm  
Germany

Phone: +49 (6104) 4059-60    [www.stahlbecker.com](http://www.stahlbecker.com)  
Fax: +49 (6104) 4059-70    [info@stahlbecker.com](mailto:info@stahlbecker.com)



<b>Material Standard</b>	DIN EN 10202		
<b>Dimension standard</b>	DIN EN 10202		
<b>Products</b>	Sheets		
<b>Dimensions</b>	<b>Sheets 533 x 765 mm:</b>		
	Thickness (mm)	Width (mm)	Length (mm)
	0,20	533	765
	0,32	533	765
	0,40	533	765
	<b>Sheets 530 x 760 mm:</b>		
	Thickness (mm)	Width (mm)	Length (mm)
0,52	530	760	
0,60	530	760	
<b>Tensile strength (Rm)</b>	340-395 N/mm <sup>2</sup>		
<b>Surface</b>	BK (bright), LG (slightly coldrolled)		
<b>Coating</b>	electrolytically tinned, shining finish, up to 0,58 mm Thickness E 11,2/11,2 (the thickness of the tin layer is 11,2 g per m <sup>2</sup> ), over 0,58 mm E 14,0		

All statements without guarantee

**Stahl-Becker GmbH**  
 Ottostraße 9-11  
 63150 Heusenstamm  
 Germany

Phone: +49 (6104) 4059-60    www.stahlbecker.com  
 Fax: +49 (6104) 4059-70    info@stahlbecker.com

